2. Reference Information

2-1 Tables of Abbreviations and Acronyms

Table 2-1 Abbreviations

A	Ampere	MV	Megavolt
Ah	Ampere-hour	MW	Megawatt
Å	Angstrom	MΩ	Megohm
dB	Decibel	m	Meter
dBm	Decibel Referenced to One Milliwatt	µA	Microampere
		µF	Microfarad
°C	Degree Celsius	µH	Microhenry
°F	Degree Fahrenheit	µm	Micrometer
°K	degree Kelvin	µs	Microsecond
F	Farad	µW	Microwatt
G	Gauss	mA	Milliampere
GHz	Gigahertz	mg	Milligram
g	Gram	mH	Millihenry
H	Henry	ml	Milliliter
Hz	Hertz	mm	Millimeter
h	Hour	ms	Millisecond
ips	Inches Per Second	mV	Millivolt
kWh	Kilowatt-hour	nF	Nanofarad
kg	Kilogram	Ω	Ohm
kHz	Kilohertz	pF	Picofarad
kΩ	Kilohm	lb	Pound
km	Kilometer	rpm	Revolutions Per Minute
km/h	Kilometer Per Hour	rps	Revolutions Per Second
kV	Kilovolt	s	Second (Time)
kVA	Kilovolt-ampere	V	Volt
kW	Kilowatt	VA	Volt-ampere
l	Liter	W	Watt
MHz	Megahertz	Wh	Watt-hour

Table 2-2 Table of Acronyms

ABL	Automatic Brightness Limiter
AC	Alternating Current
ACC	Automatic Chroma Control
AF	Audio Frequency
AFC	Automatic Frequency Control
AFT	Automatic Fine Tuning
AGC	Automatic Gain Control
AM	Amplitude Modulation
ANSI	American National Standards Institute
APC	Automatic Phase Control
APC	Automatic Picture Control
A/V	Audio-Video
AVC	Automatic Volume Control
BAL	Balance
BPF	Bandpass Filter
B-Y	Blue-Y
CATV	Community Antenna Television (Cable TV)
CB	Citizens Band
CCD	Charge Coupled Device
CCTV	Closed Circuit Television
Ch	Channel
CRT	Cathode Ray Tube
CW	Continuous Wave
DC	Direct Current
DVM	Digital Volt Meter
EIA	Electronics Industries Association
ESD	Electrostatic Discharge
ESD	Electrostatically Sensitive Device
FBP	Feedback Pulse
FBT	Flyback Transformer
FF	Flip-Flop
FM	Frequency Modulation
FS	Fail Safe
GND	Ground
G-Y	Green-Y
H	High
HF	High-Frequency
HI-FI	High Fidelity
IC	Inductance-Capacitance
IC	Integrated Circuit
IF	Intermediate Frequency
I/O	Input/output
L	Left
L	Low
LED	Light Emitting Diode
LF	Low Frequency
MOSFET	Metal-Oxide-Semiconductor-Field-Effect-Tr
MTS	Multi-channel Television Sound
NAB	National Association of Broadcasters
NEC	National Electric Code
NTSC	National Television Systems Committee
OSD	On Screen Display
PCB	Printed Circuit Board
PLL	Phase-Locked Loop
PWM	Pulse Width Modulation
QIF	Quadrature Intermediate Frequency
R	Right
RC	Resistor & Capacitor
RF	Radio Frequency
R-Y	Red-Y
SAP	Second Audio Program
SAW	Surface Acoustic Wave(Filter)
SIF	Sound Intermediate Frequency
SMPS	Switching Mode Power Supply
S/N	Signal/Noise
SW	Switch
TP	Test Point
TTL	Transistor Transistor Logic
TV	Television
UHF	Ultra High Frequency
UL	Underwriters Laboratories
UV	Ultraviolet
VCD	Variable-Capacitance Diode
VCO	Voltage Controlled Oscillator
VCXO	Voltage Controlled Crystal Oscillator
VHF	Very High Frequency
VIF	Video Intermediate Frequency
VR	Variable Resistor
VTR	Video Tape Recorder
VTVM	Vacuum Tube Voltmeter
TR	Transistor

2-2 IC Line Up

Table 2 - 3 IC Line - Up

NO	BOARD	LOC. NO	SPEC	DESCRIPTION	REMARK
1	MAIN	IC201S	VDP3112B	Video Processor	Refer to Table 2-3-1
		IC601	MSP3410D	Multistandard Sound Processor	Refer to Table 2-3-2
		IC901	SDA555X	MICOM, TTX(MTP)	
		IC902	KS24L161	EEPROM	
		IC602	TDA7297	Audio AMP	Refer to Table 2-3-3
		HIC201	DRGB001	RGB Drive AMP Hybrid IC	VM Option
		IC301	LA7845	Vertical IC	
		Q401	KSD5703	Horizontal Drive IC	DH01
		D409	FMP-3FU		
		IC401	KA393	E/W Drive IC	
		Q404	IRF620		
		IC801S	3S1265R	SPS Controllor	
		D801S	RBV606	Bridge Diode	
		PC801S	PC123Y	Photo Coupler	
		IC805	KA78R05	5V Controlled Regulator	DDR01
		D806	FML-G12S	Rectifier Diode	
		D807			
		D805	FMG-G26S		
		IC804	KA7806	6V Regulator	
		IC803	KA78R08	8V Controlled Regulator	
		IC903	KA78RM33	3.3V Regulator	
		IC904	KIA7025AP	MICOM Reset IC	
		Q909	2N7000	IIC Level Shifter	
		Q910			
		TU01	TCPW3001PD09A(S)	Main Tuner with IF Block	Refer to Table 2-3-4
		D813	FML-G12S	Rectifier Diode	

Table 2 - 3 IC Line - Up					
NO	**BOARD**	**LOC. NO**	**SPEC**	**DESCRIPTION**	**REMARK**
2	**CRT**	IC501	TDA6101Q	Video Output AMP R.G.B Drive	
		IC502			
		IC503			
		QF04	2SC2344	Push-Pull (VM)	Option
		QF05	2SA1011		
3	**V-S/W**	ICS01	TEA6425	Video Switching IC with Adder Output	Option
4	**PIP**	ICP01	SDA9488X	High-end Picture-In Picture IC	Option

Table 2-3-1 VIDEO IC

SPEC	FUNCTION	REMARK
VDP3108B	50Hz Basic 1H Comb Filter	
VDP3112B	50Hz, 2H Comb Filter	
VDP3132Y	50Hz, 2H Comb Filter, DVD Input	

Table 2-3-2 SOUND IC

SPEC	FUNCTION	REMARK
MSP3400D	Multistandard, A2 Stereo, Equalizer, 2 Scart	
MSP3410D	Multistandard, A2 Stereo, Nicam, Equalizer, 2 Scart	
MSP3405D	Multistandard, A2 Stereo, RCA 9P	
MSP3415D	Multistandard, A2 Stereo, Nicam, RCA 9P	
MSP3465G	Multistandard, Line-Stereo, RCA 9P	

Table 2-3-3 SOUND AMP

SPEC	FUNCTION	REMARK
TDA7297	15W x 2CH, 10W x 2CH	
TDA7266S	5W x 2CH	

Table 2-3-4 TUNER

SPEC	FUNCTION	REMARK
TCPS3001PD09A(S)	CS, Stereo	IF IC = Sanyo
TCPS3001PD09D(S)	CS, Stereo	IF IC = Philips
TCPS3000PD09A(S)	CZ, Stereo	
TCPZ3001PD09A(S)	CS, Stereo, India	
TCPS3001PD09C(S)		

Table 2-3-5 HORIZONTAL DRIVE IC (Q401)

SPEC	FUNCTION	REMARK
KSD5703	50Hz, With EW Model	
KSC5386	50Hz, W/O EW Model	

MEMO